
NEURO
JUSTICE
ARTIFICIAL INTELLIGENCE
IN FORENSIC
REHABILITATION MEDICINE
ALISHBA EMAN
WORLD RECORD HOLDER

NEUROJUSTICE

Artificial Intelligence in Forensic Rehabilitation Medicine

Redefining Forensic Medicine through Physiotherapy, Biomechanics, and Intelligent Rehabilitation Systems

First Edition · 2026

NeuroJustice

Preface

The intersection of medicine, law, and technology has never been more critical than it is today. We live in an era when human movement can be reconstructed from sensor data, when chronic pain can be analysed through neural algorithms, when the authenticity of a physical injury can be interrogated by machines that never tire, never overlook, and never forget. Yet forensic medicine as a discipline has remained largely static in the face of this revolution. This book is written in the conviction that such stasis is no longer acceptable.

NeuroJustice: Artificial Intelligence in Forensic Rehabilitation Medicine is the first comprehensive academic text to define, map, and advocate for a new interdisciplinary specialty that we call Forensic Rehabilitation Medicine. This specialty draws from physiotherapy, biomechanics, neuroscience, rehabilitation sciences, mental health, and artificial intelligence to address one of the most fundamental challenges in contemporary healthcare and law: how

do we objectively, ethically, and accurately assess human physical and psychological function in medico-legal contexts?

The question matters because lives depend on it. A worker who suffers a spinal injury in an industrial accident may receive compensation based on a ten-minute clinical examination. A torture survivor seeking asylum may have her account dismissed because no visible wound remains. A veteran with post-traumatic stress disorder may be denied disability benefits because his suffering cannot be captured on an MRI scan. These failures are not merely bureaucratic or legal. They are failures of medical science to provide tools adequate to human complexity.

Artificial intelligence is changing this. Motion capture systems powered by deep learning can now analyse gait with greater precision than trained human observers. Wearable sensors can record weeks of functional data from a patient in her natural environment, generating objective evidence of physical limitation that no single clinic visit could provide. Digital twins can reconstruct accident biomechanics from minimal physical evidence.

Algorithms trained on thousands of validated pain assessments can flag inconsistencies between reported symptoms and measured functional capacity.

This book explores all of these developments and more. It is written for medical students encountering forensic medicine for the first time, for physiotherapists and rehabilitation specialists who want to understand how their clinical expertise applies in legal contexts, for forensic pathologists and medical examiners who wish to expand their analytical toolkit, for lawyers and judges who want to understand what the science can and cannot tell them, and for AI researchers who want to see where their work intersects with human health, justice, and ethics.

The chapters that follow move progressively from foundational concepts through clinical application to ethical analysis and future vision. Each chapter includes a summary, key concepts, clinical examples, and suggestions for future research.

This is a first edition in a field that does not yet have a name universally recognized in medical literature. Some of what we describe here is emerging

practice; some is speculative vision grounded in current research trajectories. We have tried to be clear throughout about which is which. Where we describe the future, we do so with evidence, not fantasy.

We hope this book becomes a starting point for a field that will grow far beyond what any single text can contain.

The Author, 2026
Alishba Eman

NeuroJustice

Artificial Intelligence in Forensic Rehabilitation Medicine

Copyright © 2026 by Alishba Eman

All rights reserved. No part of this publication may be reproduced, distributed, stored, or transmitted in any form or by any means without prior written permission from the author, except for brief quotations used in academic reviews, research, or scholarly citations.

This book is intended solely for educational, scientific, and research purposes. The concepts discussed regarding artificial intelligence, forensic medicine, rehabilitation sciences, physiotherapy, biomechanics, and mental health are presented to encourage innovation and interdisciplinary exploration. The content should not be considered a substitute for professional medical, legal, or clinical advice.

First Edition 2026
Written and conceptualized by: Alishba Eman
Cover Design: Original Concept
Language: English

About the Author

Alishba Eman is a world record holder, medical student, AI researcher, and interdisciplinary healthcare innovator with a strong passion for combining artificial intelligence, medicine, mental health, rehabilitation sciences, and futuristic healthcare systems.

Her research interests include AI-assisted medical diagnostics, mental health innovation, biomechanics, rehabilitation medicine, neuropsychiatry, chronic pain, gait analysis, and the future integration of intelligent technologies into healthcare.

Alishba has contributed to multiple research projects and publications involving artificial intelligence in medicine, including medical imaging, neuroscience-related applications, and healthcare innovation. She is recognized for her vision of bridging medicine and technology to create more compassionate, data-driven, and accessible healthcare systems.

Through *NeuroJustice*, she introduces a new interdisciplinary concept that explores the relationship between forensic medicine, rehabilitation sciences, physiotherapy, biomechanics, and artificial intelligence.

Her mission is to inspire the next generation of medical innovators to challenge traditional boundaries and build the future of intelligent medicine.

Dedicated to my mother

Shabana Shah

For every silent sacrifice, every sleepless night, every prayer whispered for my future, and every moment you believed in me before the world ever did.

Your strength became my motivation, your patience became my foundation, and your love became the reason I learned to dream beyond limits.

This book is not only my achievement it is the reflection of your endless efforts, support, and faith in me.

To the woman who taught me resilience, compassion, and courage:
This work is forever dedicated to you.

"Every revolution in medicine begins with a question nobody was brave enough to ask before."

Alishba Eman

Contents

Preface iii

Introduction: The Birth of Forensic Rehabilitation Medicine 1

PART ONE: FOUNDATIONS

Chapter 1 — Forensic Medicine in Historical Perspective 15

Chapter 2 — Physiotherapy, Rehabilitation, and the Law 27

Chapter 3 — Biomechanics as Legal Evidence 41

Chapter 4 — Neuroscience, Pain, and Functional Assessment 55

PART TWO: ARTIFICIAL INTELLIGENCE IN FORENSIC REHABILITATION

Chapter 5 — Introduction to AI in Healthcare 71

Chapter 6 — AI-Assisted Gait and Movement Analysis 85

Chapter 7 — Smart Wearable Systems in Medico-Legal Cases 99

Chapter 8 — Biomechanical Reconstruction of Trauma Events 113

Chapter 9 — AI-Based Disability and Functional Impairment Scoring 127

Chapter 10 — Digital Twins and Motion Reconstruction 141

Chapter 11 — Chronic Pain Authenticity and Malingering Detection 155

PART THREE: CLINICAL AND FORENSIC APPLICATIONS

Chapter 12 — Rehabilitation of Violence, Torture, and Trauma Survivors 171

Chapter 13 — Mental Health, PTSD, and Neurorehabilitation in Forensic Settings 185

Chapter 14 — Forensic Physiotherapy as a Medical Specialty 199

Chapter 15 — Courtroom Biomechanics and Expert Testimony 213

PART FOUR: ETHICS, LAW, AND THE FUTURE

Chapter 16 — Ethical Challenges of AI in Forensic Healthcare 227

Chapter 17 — Legal Frameworks and International Standards 239

Chapter 18 — Smart Courts and Intelligent Rehabilitation Systems 251

Chapter 19 — Future Hospitals and the Digital Forensic Clinic 263

Chapter 20 — Building the Field: Research Priorities and Educational Frameworks 275

Conclusion: Toward a Just Medicine 287

References and Further Reading 293

Index 303

INTRODUCTION

The Birth of Forensic Rehabilitation Medicine

> *Every major medical specialty was born at a moment when the demands of human experience outpaced the capacity of existing frameworks to address them.*

A Discipline Whose Time Has Come

Every major medical specialty was born at a moment when the demands of human experience outpaced the capacity of existing frameworks to address them. Emergency medicine emerged when trauma volumes in urban hospitals exceeded what general surgery could absorb. Sports medicine grew from the recognition that athletic injuries required specialized biomechanical understanding that general orthopedics did not provide. Palliative care arose because the treatment of dying patients demanded a

philosophy and skill set that curative medicine had never developed.

Forensic Rehabilitation Medicine is being born now, for precisely the same reason. The legal and social systems that govern human life increasingly require precise, objective, and reproducible medical answers to questions that existing forensic medicine cannot fully provide. How much has this man's spinal injury limited his capacity for work? Is the gait abnormality this woman demonstrates in the courtroom consistent with the accident she describes? Does the pattern of motor function in this child's limbs suggest the mechanism of injury alleged by the prosecution? Can we reconstruct from biomechanical evidence what happened in the twelve seconds before a fatal fall?

Classical forensic medicine, dominated by pathology and toxicology, was designed to answer questions about death and disease. It is not well equipped to answer questions about movement, function, disability, and physical capacity in living people. Physiotherapy and rehabilitation medicine, which are precisely concerned with these questions in clinical contexts, have historically had limited

engagement with the legal system. The result is a significant gap in the medical evidence available to courts, compensation systems, asylum processes, and criminal investigations.

This gap is closing, driven by three converging forces. The first is the dramatic expansion of clinical measurement technology. Wearable accelerometers, inertial measurement units, force plates, three-dimensional motion capture systems, electromyography arrays, and functional near-infrared spectroscopy devices can now capture human movement with a richness and precision that no human observer could replicate. The data these systems generate is objective, timestamped, and reproducible.

The second force is artificial intelligence. Machine learning algorithms can now be trained on large datasets of movement recordings to classify patterns, detect anomalies, predict functional outcomes, and identify behaviors consistent with specific injury mechanisms. Natural language processing can extract clinically relevant information from years of medical records in seconds. Computer vision can analyze video footage of a person's gait with

more precision and consistency than even experienced physiotherapists.

The third force is a growing legal and social recognition that traditional forensic methods are insufficient for a range of important questions. Courts are increasingly confronted with complex claims about functional disability, chronic pain, trauma consequences, and long-term rehabilitation needs. Compensation systems are strained by fraudulent claims on one side and legitimate claimants whose injuries are invisible on the other. Immigration and asylum systems must make life-altering decisions about torture and trauma histories that leave no radiological trace.

✦ ✦ ✦

Defining the Field

Forensic Rehabilitation Medicine can be defined as the application of rehabilitation science, physiotherapy, biomechanics, neuroscience, and artificial intelligence to questions arising in legal, medico-legal, and forensic contexts. It is concerned with the measurement, assessment, and interpretation of human physical and psychological function in living people, with particular attention to the effects of injury, disease, trauma, and violence.

The field encompasses several distinct but interconnected domains. Injury biomechanics applies the principles of mechanics to understand how forces act on the human body during accidents, assaults, falls, and other traumatic events. Functional capacity assessment uses clinical and technological tools to measure what a person can and cannot do physically and cognitively. Disability evaluation applies standardized frameworks and objective measurement to quantify impairment and activity limitation. Trauma rehabilitation addresses the physical and psychological sequelae of violence, torture, and catastrophic injury.

KEY DEFINITION

Forensic Rehabilitation Medicine is an emerging interdisciplinary medical specialty that applies rehabilitation science, physiotherapy, biomechanics, neuroscience, and artificial intelligence to forensic, legal, and medico-legal questions about human physical and psychological function in living individuals.

Connecting all of these domains is the methodological framework of artificial intelligence, which provides the computational power to analyze complex multivariate datasets, detect patterns invisible to human observers, generate probabilistic assessments, and support evidence-based forensic conclusions.

The Architecture of This Book

This book is organized in four parts. Part One, Foundations, establishes the historical, scientific, and clinical context for the field. Part Two, Artificial Intelligence in Forensic Rehabilitation, provides a comprehensive account of how AI technologies are currently being applied, and could be applied, across the range of forensic rehabilitation problems. Part Three, Clinical and Forensic Applications, examines specific practice domains in depth. Part Four, Ethics, Law, and the Future, addresses the profound ethical and legal questions raised by AI-assisted forensic medicine, and sketches a vision of what integrated forensic rehabilitation systems might look like in coming decades.

Throughout, the book maintains a dual commitment: to scientific rigor and to human dignity. Every methodology described in these pages must ultimately serve the goal of justice, understood as the fair treatment of people by institutions that have power over their lives.

NeuroJustice aspires to bring the intelligence of modern neuroscience and AI to the service of justice in its fullest sense: the just treatment of human beings by the institutions that shape their lives.

Part One

Foundations

Understanding the Disciplines That Define Forensic Rehabilitation Medicine

CHAPTER ONE

Forensic Medicine in Historical Perspective

Origins and Early Development

Forensic medicine, the application of medical knowledge to questions of law, is among the oldest of the medical specialties. Ancient Roman and Greek legal systems recognized the need for medical testimony in cases of violent death, and physicians were called upon to offer opinions about cause and manner of death long before any systematic methodology existed for doing so. The Edwin Smith Papyrus, dating to approximately 1600 BCE, contains descriptions of traumatic injuries that may represent early forensic observation, though the primary purpose of such documents was clinical rather than legal.

The formal establishment of forensic medicine as a discipline is generally traced to the sixteenth and seventeenth centuries in Europe. The Italian

physician Fortunato Fidelis published a systematic account of forensic medicine in 1602, and Paolo Zacchia's Quaestiones Medico-Legales, published in multiple volumes between 1621 and 1635, is often regarded as the foundational text of the field. Zacchia addressed a remarkable range of questions including the determination of death, the assessment of wounds, the evaluation of mental states, and the identification of poisons, with a rigor and comprehensiveness that established medicine as a legitimate source of legal evidence.

The nineteenth century saw forensic medicine develop rapidly alongside advances in pathological anatomy, toxicology, and microscopy. The identification of specific poisons in body tissues, pioneered by Mathieu Orfila and others, gave forensic medicine a powerful new tool. The development of systematic autopsy protocols allowed pathologists to establish cause of death with increasing confidence. The identification of blood types in the early twentieth century opened new possibilities for forensic identification.

Forensic medicine in the twentieth century became primarily a specialty of pathology and

toxicology. The forensic pathologist, examining the dead, and the forensic toxicologist, identifying substances in biological samples, became the dominant practitioners of the field. Other specialties developed alongside them: forensic psychiatry, which addresses mental state and criminal responsibility; forensic odontology, which uses dental evidence for identification and age estimation; forensic anthropology, which applies skeletal analysis to identification and trauma assessment. But the core of forensic medicine remained anchored to questions about death, and to the examination of corpses.

✦ ✦ ✦

The Gap: Living Patients and Forensic Medicine

This anchoring in pathology left a significant gap in the forensic medicine toolkit. While forensic pathologists became highly skilled at determining the cause and manner of death, the field developed much weaker methods for addressing questions about living people. How severely is this person's physical function limited by their injury? Is the pattern of movement this person demonstrates consistent with the accident they describe? Does the chronic pain this person reports correspond to a physiological basis that can be objectively measured?

These questions arise constantly in legal contexts. Compensation systems must determine the extent of disability to establish benefit levels. Criminal courts must assess the severity of injury to calibrate sentencing. Civil courts must evaluate functional capacity to determine damages. Immigration and asylum tribunals must assess the physical and psychological sequelae of torture. In all of these contexts, the available medical tools have been, until recently, severely limited.

The standard approach in most jurisdictions has relied on a combination of clinical examination, review of medical records, and standardized rating systems such as the American Medical Association Guides to the Evaluation of Permanent Impairment. These approaches have significant limitations. Clinical examination is subjective and highly variable between examiners. Medical records reflect what patients reported and clinicians observed at specific moments in time, not their functional capacity in daily life.

CASE STUDY | The Coal Miner's Spine, Pennsylvania, 1987

A coal miner suffering from chronic low back pain sought permanent disability benefits after a workplace accident. Three different physicians assessed his functional capacity on the same week and produced three different assessments: one found no significant limitation, one found moderate limitation, and one found severe limitation sufficient to prevent any gainful employment. The compensation tribunal, unable to reconcile these contradictory expert opinions, ultimately denied the claim. The miner spent the remainder of his working life in low-wage employment entirely outside his training and experience. This case, representative of thousands of

similar situations, illustrates the human cost of inadequate forensic assessment tools.

The Rise of Rehabilitation Medicine

Rehabilitation medicine as a distinct specialty emerged in the aftermath of the Second World War, driven by the enormous number of combatants left with permanent physical disabilities. Howard Rusk, working at the Army Air Forces Convalescent Center in Missouri in the 1940s, is often credited with establishing rehabilitation medicine as a systematic discipline focused on restoring function rather than simply treating disease. The specialty developed a comprehensive framework for assessing and improving functional capacity following injury, disease, or disability.

Physiotherapy, which had existed as a health profession since the late nineteenth century, grew alongside rehabilitation medicine to provide the clinical interventions that rehabilitation required. Physiotherapists developed sophisticated methods for assessing movement quality, muscle strength,

joint range of motion, neurological function, pain behavior, and functional performance. These methods, though primarily clinical in purpose, contained the seeds of forensic application that would only begin to be fully developed in the late twentieth and early twenty-first centuries.

The intersection of rehabilitation medicine and law began to emerge as a recognized area of practice in the 1980s and 1990s, driven partly by the growth of workers' compensation litigation and partly by increasingly sophisticated personal injury litigation. Rehabilitation specialists were called upon with growing frequency to provide expert testimony about the nature and extent of physical disability, the prognosis for recovery, and the reasonableness of treatment received.

Toward Integration: The Emerging Convergence

By the early years of the twenty-first century, a number of developments were pushing forensic medicine and rehabilitation medicine toward greater integration. Advances in functional neuroimaging, particularly functional MRI, were opening new

windows into brain activity, pain processing, and psychological function. Three-dimensional motion capture technology was beginning to find applications in clinical movement assessment. Wearable sensor technology was becoming small enough, cheap enough, and accurate enough for routine clinical use.

Simultaneously, the legal demand for objective medical evidence was intensifying. High-profile cases of fraudulent disability claims drew public and political attention to the inadequacy of existing assessment tools. The growth of mass tort litigation created large-scale demand for systematic functional assessment. International human rights law was developing standards for the medical documentation of torture and ill-treatment that required more sophisticated assessment than clinical interview alone could provide.

These converging pressures created the conditions for a new field. What was lacking was a systematic intellectual framework that could bring together the relevant disciplines, define appropriate methodologies, establish ethical standards, and create the educational pathways needed to train

practitioners. This book represents an attempt to provide that framework.

International Developments and Standards

Different countries have approached the interface of rehabilitation medicine and law in different ways, reflecting the diversity of legal traditions, healthcare systems, and social welfare structures. In Scandinavian countries, comprehensive welfare states have created large compensation systems for work-related injury, and functional capacity evaluation has been extensively developed and standardized. Sweden and Norway have invested heavily in research into functional assessment methodology and have developed accreditation systems for functional capacity evaluators that are among the most rigorous in the world.

In common law jurisdictions, including the United Kingdom, the United States, Canada, and Australia, the adversarial legal system has created a context in which medical experts are frequently retained by opposing parties and may offer

contradictory opinions. This has both stimulated demand for more objective methods and created financial incentives that can compromise expert objectivity.

International human rights bodies have developed important standards for the assessment of torture and ill-treatment that are directly relevant to forensic rehabilitation medicine. The Istanbul Protocol, formally known as the Manual on Effective Investigation and Documentation of Torture and Other Cruel, Inhuman or Degrading Treatment or Punishment, published by the United Nations in 1999 and updated in 2022, provides detailed guidance on the medical and psychological assessment of torture survivors.

CHAPTER SUMMARY

Forensic medicine has a long history rooted primarily in pathology and toxicology, with strong methods for questions about death but significant limitations in assessing functional capacity in living people. Rehabilitation medicine developed separately, providing sophisticated clinical tools for assessing and restoring function. The convergence of these disciplines, driven by growing legal demand and enabled by new measurement technologies, is creating the conditions for a new field of Forensic Rehabilitation Medicine.

CHAPTER TWO

Physiotherapy, Rehabilitation, and the Law

Physiotherapy as a Clinical Science

Physiotherapy, known in North America as physical therapy, is a health profession concerned with the assessment, diagnosis, and treatment of physical impairments, functional limitations, and disability arising from musculoskeletal, neuromuscular, cardiopulmonary, and other conditions. The profession has developed over more than a century from its origins in exercise therapy and massage into a sophisticated clinical science with a substantial research base, specialized assessment methods, and evidence-based intervention protocols.

The clinical assessment toolkit of physiotherapy is directly relevant to forensic rehabilitation. Physiotherapists routinely assess range of motion in

all major joints using goniometry; muscle strength using manual muscle testing, dynamometry, and isokinetic dynamometers; proprioception and balance using standardized functional tests; gait parameters using clinical observation, timed walking tests, and instrumented walkways; pain behavior using validated rating scales; and functional capacity using performance-based tests such as the six-minute walk test, the sit-to-stand test, and standardized lifting tasks.

These assessment methods, developed for clinical purposes, have significant forensic value. They provide objective, quantifiable measurements of physical function that can be compared across time, across examiners, and against normative datasets derived from large population studies. When properly standardized and documented, physiotherapy assessments can provide courts and compensation systems with the kind of reproducible, objective evidence that clinical medical examination alone often cannot.

Functional Capacity Evaluation

Functional capacity evaluation is a subset of physiotherapy assessment specifically designed for medico-legal and occupational purposes. A functional capacity evaluation is a systematic battery of standardized tests measuring a person's safe maximum physical performance across a range of work-related tasks. It typically assesses lifting capacity across different postures and heights, carrying capacity, pushing and pulling capacity, positional tolerance for sitting, standing, and kneeling, and occasionally cognitive and psychological dimensions of work capacity.

Several standardized functional capacity evaluation systems have been developed and validated, including the EPIC Lift Capacity Test, the WorkWell Functional Capacity Evaluation, and the Isernhagen Work Systems Functional Capacity Evaluation. These systems have accumulated substantial reliability and validity data, though significant variability in methodology and interpretation remains across practitioners and jurisdictions.

The central challenge in functional capacity evaluation is the problem of maximal effort. A functional capacity evaluation is designed to measure maximum safe performance, but patients undergoing medico-legal assessment have strong incentives to either maximize performance, if they are trying to return to work, or minimize it, if they are seeking to establish disability. Distinguishing genuine maximum effort from submaximal or exaggerated performance is one of the most technically challenging problems in forensic rehabilitation medicine, and one to which artificial intelligence is beginning to offer important solutions.

Physiotherapy Expert Testimony: Current Practice

Physiotherapists provide expert testimony in legal proceedings across a wide range of jurisdictions, though the formal recognition of physiotherapy expertise in courts varies considerably. In Australia, the United Kingdom, and Canada, physiotherapists are well established as expert witnesses in compensation, personal injury, and workers' compensation proceedings. In the United States, physical therapists provide expert testimony

primarily in workers' compensation hearings, with more limited but growing roles in civil and criminal proceedings.

The content of physiotherapy expert testimony typically includes assessment of the nature and extent of physical impairment, interpretation of clinical findings in relation to claimed injury mechanisms, prognosis for recovery, and recommendations regarding treatment, rehabilitation, and occupational capacity. Increasingly, physiotherapist experts are also called upon to offer opinions about the consistency of reported symptoms and observed function.

CASE STUDY | Whiplash Assessment, United Kingdom, 2019

A claimant sought compensation for chronic cervical pain and restricted neck movement following a rear-end vehicle collision. Three physiotherapist assessors examined the claimant over a twelve-month period and provided contradictory opinions about the degree of movement restriction. Analysis of video recordings made during the assessments later revealed significant variability in the claimant's movement behavior across sessions. An AI-assisted video movement analysis identified specific kinematic

patterns inconsistent with genuine musculoskeletal restriction. The case settled before trial but led to procedural reforms in the handling of whiplash claims in England and Wales.

The Istanbul Protocol and Physical Documentation

The Istanbul Protocol represents a landmark in the integration of rehabilitation medicine with human rights law and forensic practice. Developed by a multidisciplinary team of clinicians, lawyers, and human rights practitioners, the protocol provides comprehensive guidance on the physical and psychological examination of individuals who may have experienced torture or other cruel, inhuman, or degrading treatment.

The physical assessment component of the Istanbul Protocol draws heavily on rehabilitation medicine methodology. It requires systematic assessment of musculoskeletal function, neurological status, chronic pain patterns, and the consistency of physical findings with reported mechanisms of injury. The protocol explicitly acknowledges that many

sequelae of torture fall squarely within the clinical domain of physiotherapy and rehabilitation medicine.

Rehabilitation in Criminal Justice Settings

Physiotherapy and rehabilitation medicine intersect with the law not only through medico-legal assessment but through the provision of healthcare services within criminal justice systems. Prisoners have significant and often unmet rehabilitation needs arising from the high rates of physical injury, substance use, mental health disorder, and chronic disease in custodial populations. The right of prisoners to adequate healthcare, including rehabilitation services, is recognized in international law through instruments including the Nelson Mandela Rules.

Digital Health and the Future of Physiotherapy Assessment

The digitization of physiotherapy assessment is transforming what is measurable, how measurement is conducted, and how the resulting data is interpreted. Wearable inertial measurement units can

now capture continuous data on joint angles, segment velocities, and acceleration patterns throughout a patient's normal daily activity. Pressure-sensitive insoles can record plantar force distribution with every step. Surface electromyography patches can capture muscle activation patterns across an entire working day.

This transition from episodic clinic-based measurement to continuous real-world monitoring has profound implications for forensic rehabilitation. A single clinical assessment, however carefully conducted, captures a patient's physical function at one moment in one context. Continuous monitoring captures what the patient actually does across weeks and months of normal life. The divergence between clinic performance and real-world behavior can be highly informative forensically.

CHAPTER SUMMARY

Physiotherapy provides a rich toolkit of standardized assessment methods with direct forensic application, including functional capacity evaluation, movement assessment, and pain behavior analysis. The Istanbul Protocol demonstrates the forensic application of rehabilitation assessment in human rights contexts. The transition to continuous digital monitoring is transforming the quantity and quality of functional data available for forensic assessment.

CHAPTER THREE

Biomechanics as Legal Evidence

The Science of Human Movement

Biomechanics is the science that applies the principles of mechanics to the study of living systems. In human biomechanics, the primary concern is understanding how forces act on and within the body during movement, posture, and external loading. The field draws on classical Newtonian mechanics, materials science, fluid dynamics, and biology to construct models of how muscles, bones, joints, and soft tissues respond to the forces encountered in everyday life, work, sport, and trauma.

The fundamental quantities of biomechanics are forces, moments, velocity, acceleration, and the mechanical properties of biological tissues. Forces acting on the body can be external, arising from gravity, contact with surfaces, or impact from objects, or internal, generated by muscles and transmitted

through tendons, ligaments, and bones. Biological tissues have complex mechanical properties that are fundamentally different from engineering materials. Bone is stiffer and stronger in compression than in tension, and its strength depends on the rate of loading. Ligaments and tendons are viscoelastic, meaning their mechanical response depends on both the magnitude and the rate of deformation.

Understanding these properties is essential for forensic biomechanics, because injury occurs when applied forces exceed the tolerance of specific tissues, and tissue tolerance is not a simple fixed quantity but varies with loading rate, temperature, fatigue state, and many other factors. A comprehensive forensic biomechanical assessment must therefore characterize not only the magnitude of forces involved in a traumatic event but the conditions under which those forces were applied and the individual characteristics of the person who experienced them.

Forensic Biomechanics: Applications and Methods

Forensic biomechanics applies the principles of human biomechanics to questions arising in legal

contexts. Its primary applications include the analysis of vehicle collisions and their consequences for occupants, the reconstruction of falls and their injury outcomes, the assessment of workplace ergonomics and injury causation, the analysis of sports injuries and their mechanisms, and the reconstruction of assaults and their biomechanical consequences.

The methodological toolkit of forensic biomechanics includes experimental testing of biological and surrogate specimens, computational modeling using finite element methods and multibody dynamics, analysis of physical evidence from accident scenes, and review of medical imaging and clinical findings in the context of injury biomechanics knowledge. In recent years, AI-assisted video analysis, motion capture reconstruction, and digital twin simulation have significantly expanded the computational power available to forensic biomechanists.

Vehicle Collision Biomechanics

Vehicle collisions are among the most frequently litigated trauma events, and forensic biomechanics has its most established track record in this domain.

The physics of vehicle collisions involves conservation of momentum and energy, and from measurements of vehicle deformation, post-collision positions, and skid marks, biomechanical engineers can typically reconstruct collision speeds with reasonable precision. Once collision kinematics are established, occupant kinematics can be modeled using dummy testing data, computer simulations, and knowledge of restraint system performance.

Low-speed rear-end collisions producing alleged whiplash injury are among the most contested areas of vehicle collision biomechanics, partly because the physical forces involved are modest and partly because whiplash is a soft-tissue injury that does not produce reliable imaging findings. The application of AI to whiplash biomechanics, including the analysis of head and neck motion during low-speed impacts and the classification of kinematic patterns associated with injury versus no-injury outcomes, is an active research frontier with direct forensic relevance.

Fall Biomechanics and Injury Reconstruction

Falls are the leading cause of injury-related death and hospitalization in older adults, and are frequently the subject of litigation involving premises liability, nursing home negligence, and criminal assault allegations. Forensic fall biomechanics addresses the reconstruction of fall events from physical evidence and injury patterns. The biomechanics of a fall involves an initial perturbation of balance, a period of body rotation and descent, an impact phase in which the body contacts a surface, and a post-impact phase in which energy is dissipated through tissue deformation.

Distinguishing a fall from a push or assault is a critical forensic problem in elder abuse cases and in the investigation of deaths involving disputed fall histories. Biomechanical analysis of injury distribution, impact configuration inferred from fracture patterns, and physiological capacity for the specific fall trajectory alleged can all contribute to the forensic assessment of fall mechanism.

CASE STUDY | Nursing Home Fall Investigation, Ontario, 2021

An 82-year-old woman with mild cognitive impairment sustained a hip fracture and subdural haematoma while residing in a long-term care facility. Staff reported that she had fallen from her bed during the night. Forensic biomechanical analysis of the injury pattern suggested a mechanism inconsistent with a simple bed fall. AI-assisted three-dimensional reconstruction of plausible fall trajectories identified impact velocities and configurations incompatible with the observed injury severity. The investigation was referred to the provincial elder abuse authority.

Workplace Injury Biomechanics

Occupational biomechanics assesses the forces and movements involved in work tasks, with the aim of preventing injury and, in forensic contexts, assessing whether specific work exposures were sufficient to cause specific injuries. Wearable sensor technology is transforming the measurement of occupational exposure. Workers in high-risk occupations can now be monitored continuously using inertial measurement units that record spinal

loading, shoulder forces, and repetitive motion parameters throughout the working day.

Assault Reconstruction

Biomechanical reconstruction of assaults is an emerging application that draws on multiple forensic disciplines including pathology, injury biomechanics, and motion analysis. The goal is to reconstruct the mechanism, direction, and approximate force of blows from the pattern of injuries sustained. Blunt force trauma produces injury patterns that differ systematically depending on the shape, hardness, and velocity of the striking object, and these patterns can be partially reconstructed from wound morphology, fracture configuration, and soft tissue injury distribution.

CHAPTER SUMMARY

Biomechanics applies mechanical principles to human movement and injury, providing quantitative tools for forensic analysis across domains including vehicle collisions, falls, occupational injury, and assault reconstruction. Wearable sensors are transforming the measurement of real-world mechanical exposure. AI is extending the analytical power of forensic biomechanics, particularly in pattern recognition from complex injury datasets and reconstruction of trauma kinematics.

CHAPTER FOUR

Neuroscience, Pain, and Functional Assessment

The Neuroscience of Pain

Pain is the most common symptom in medico-legal settings, and the one most challenging to assess objectively. The neurobiological understanding of pain has been transformed over the past three decades, moving from a model in which pain is a simple signal of tissue damage proportional to that damage, to a complex biopsychosocial model in which pain is a multidimensional experience shaped by peripheral nociception, central nervous system processing, psychological state, social context, and prior experience.

The gate control theory of pain, proposed by Ronald Melzack and Patrick Wall in 1965, was the first comprehensive neurophysiological model to explain how psychological and contextual factors modulate pain experience. Contemporary pain neuroscience

has elaborated this model considerably. Central sensitization, the process by which repetitive nociceptive input produces lasting changes in the sensitivity of central nervous system pain processing circuits, is now recognized as a major mechanism in chronic pain conditions including fibromyalgia, complex regional pain syndrome, and chronic whiplash-associated disorder.

This neuroscientific understanding has profound implications for forensic pain assessment. If pain is not simply a proportional signal of tissue damage but a complex emergent property of nervous system states, then the absence of visible tissue damage cannot be taken as evidence that reported pain is not genuine. Conversely, the presence of tissue damage on imaging does not establish that it is causing the pain reported, because the relationship between structural findings and pain experience is frequently imperfect.

Functional Neuroimaging in Forensic Contexts

The potential use of functional neuroimaging, particularly functional MRI and positron emission

tomography, as objective evidence of pain in legal proceedings has been discussed for more than two decades. Research has demonstrated that chronic pain patients show distinctive patterns of brain activation compared to pain-free controls, and that experimental pain stimuli produce reproducible activation patterns in pain-processing regions. However, the use of neuroimaging as legal proof of pain faces formidable challenges that have so far prevented its widespread adoption in forensic contexts.

The primary challenge is specificity. The brain activation patterns associated with pain overlap considerably with those associated with other states including anxiety, anticipation, attention, and placebo response. A second challenge is the potential for learned modulation. If individuals become aware that specific brain activation patterns are associated with pain, they might consciously or unconsciously produce or suppress those patterns through cognitive strategies.

Quantitative Sensory Testing

Quantitative sensory testing provides a systematic, standardized method for assessing the function of peripheral and central pain-processing pathways in living patients. The standard battery includes measurement of detection and pain thresholds for thermal stimuli, mechanical stimuli including touch, pressure, and vibration, and dynamic testing of temporal summation and conditioned pain modulation.

Temporal summation measures how repeated identical stimuli produce an escalating pain response, reflecting central sensitization. Conditioned pain modulation measures how pain in one body region inhibits pain responses in another, reflecting descending inhibitory control. Both phenomena are altered in characteristic ways in chronic pain conditions and can provide objective physiological evidence of central sensitization.

Cognitive and Neuropsychological Assessment

Traumatic brain injury, acquired cognitive impairment from toxic exposure, and

neuropsychological sequelae of psychological trauma are all common subjects of forensic assessment. Neuropsychological testing provides standardized, validated instruments for assessing cognitive function across multiple domains including attention, memory, executive function, processing speed, language, and visuospatial abilities. The integration of AI into neuropsychological assessment is an active research area, with machine learning algorithms applied to the classification of cognitive impairment from performance patterns and to the detection of suboptimal effort.

Psychological Trauma and Neurorehabilitation

Post-traumatic stress disorder, complex post-traumatic stress disorder, depression, and anxiety disorders frequently co-occur with physical injury in forensic contexts. Psychological trauma can amplify physical pain through central sensitization mechanisms, impair participation in physical rehabilitation through avoidance behaviors, and produce functional neurological symptoms that can be mistaken for genuine neurological impairment. Neurorehabilitation for trauma survivors requires

integrated clinical teams with expertise in both physical rehabilitation and trauma-informed mental health care.

CHAPTER SUMMARY

Contemporary neuroscience understands pain as a complex, multidimensional experience. Functional neuroimaging, quantitative sensory testing, and neuropsychological assessment provide objective physiological evidence relevant to forensic pain and cognitive impairment claims, though all face significant challenges of specificity. Psychological trauma interacts complexly with physical injury, requiring integrated clinical approaches.

Part Two

Artificial Intelligence

How Machine Intelligence is Transforming the Assessment of Human Function, Movement, and Disability

CHAPTER FIVE

Introduction to AI in Healthcare

A Brief History of Artificial Intelligence in Medicine

The application of computational intelligence to medical problems has a history stretching back to the earliest days of computer science. MYCIN, developed at Stanford University in the early 1970s, was a rule-based expert system capable of recommending antibiotic therapies for bacterial infections with accuracy comparable to experienced infectious disease specialists. INTERNIST-1, developed at the University of Pittsburgh, attempted to replicate the diagnostic reasoning of a generalist internist. These early systems demonstrated that computational intelligence could, in principle, match or exceed human diagnostic performance in specific constrained domains.

The rule-based expert systems of the 1970s and 1980s were brittle and difficult to maintain. They required extensive manual knowledge engineering, could not learn from new data, and struggled to handle the uncertainty and ambiguity inherent in clinical medicine. The revival of medical AI came with the development of machine learning, particularly deep learning, in the early 2010s. Deep learning algorithms, trained on large datasets rather than hand-crafted rules, demonstrated remarkable performance on a range of medical pattern recognition tasks.

In 2016, a deep learning model trained on 130,000 retinal images demonstrated diagnostic accuracy for diabetic retinopathy that matched the performance of board-certified ophthalmologists. Similar demonstrations followed rapidly in dermatology, radiology, cardiology, and pathology. Machine learning encompasses a broad family of algorithms that learn patterns from data rather than being programmed with explicit rules.

Machine Learning Fundamentals for Healthcare Professionals

A machine learning model is a mathematical function that takes inputs and produces outputs. The inputs to a medical AI model might include imaging data, sensor recordings, clinical measurements, or text from medical records. The outputs might include a diagnosis, a risk score, a classification of movement pattern, or a recommendation. The function itself is defined by parameters whose values are learned from training data.

Training a supervised learning model requires a dataset of input-output pairs where the correct output for each input is known. Validation is the process of evaluating a trained model's performance on data it has not seen during training. Model performance is typically characterized by sensitivity, specificity, area under the receiver operating characteristic curve, and positive and negative predictive values. Understanding these metrics is essential for critically evaluating AI performance claims in the medical literature and in expert testimony.

AI in Diagnostic Imaging

Diagnostic imaging is the domain in which medical AI has achieved its most impressive and

widely validated performance. Deep convolutional neural networks have been applied with remarkable success to the analysis of radiographs, CT scans, MRI scans, ultrasound images, histopathological slides, and retinal photographs. In the context of disability evaluation, AI-assisted imaging analysis can provide more objective, reproducible quantification of structural abnormalities than conventional radiology reporting.

Natural Language Processing in Clinical Documentation

Natural language processing, the branch of AI concerned with computational analysis of human language, has important medical applications in the extraction of clinical information from unstructured text in medical records. Large language models can extract structured information from clinical text with high accuracy, identify mentions of specific symptoms, extract temporal information about the onset and progression of conditions, and identify inconsistencies between different parts of a clinical record. In complex medico-legal cases involving years of clinical records from multiple providers, AI-assisted information extraction can identify patterns

that would be impractical to detect through manual record review.

Explainability and Trust in Medical AI

A critical challenge in medical AI is the problem of explainability. Most high-performing deep learning models are not transparent in their reasoning: they produce outputs without providing the kind of step-by-step explanation of reasoning that clinicians and courts expect from expert opinions. The field of explainable AI is developing a range of techniques for making model reasoning more transparent. In forensic contexts, explainability is not merely a technical preference but an ethical and legal requirement.

CHAPTER SUMMARY

AI has moved from rule-based expert systems to data-driven machine learning, with deep learning achieving impressive performance on medical pattern recognition tasks. Healthcare professionals must understand core machine learning concepts to critically evaluate AI tools. Explainability is a critical challenge that must be addressed for AI to be appropriately used in forensic and legal contexts.

CHAPTER SIX

AI-Assisted Gait and Movement Analysis

The Diagnostic Value of Human Gait

Gait, the pattern of movement during walking, is one of the most information-rich behavioral signatures available for clinical and forensic assessment. Normal human gait is a highly coordinated neuromuscular performance requiring the integrated function of the sensory, motor, and cognitive systems. Deviations from normal gait patterns can indicate specific neurological conditions, musculoskeletal impairments, pain behaviors, and occasionally deliberate simulation or exaggeration of disability.

The systematic scientific study of gait began in the nineteenth century with the chronophotographic work of Eadweard Muybridge and Etienne-Jules Marey, who used sequential photography to capture the phases of human and animal locomotion for the first time. Three-dimensional gait analysis, using optoelectronic motion capture systems to track the

positions of reflective markers attached to the body, was developed in clinical laboratories in the 1970s and 1980s and has since become the gold standard for detailed biomechanical gait assessment.

Machine Learning Approaches to Gait Classification

The application of machine learning to gait analysis has expanded the range of conditions that can be automatically identified from movement data, reduced the time and expertise required for gait analysis interpretation, and opened new possibilities for large-scale population screening. Supervised learning algorithms trained on labeled gait datasets have demonstrated high accuracy in classifying gait patterns associated with specific conditions including Parkinson's disease, multiple sclerosis, stroke hemiplegia, cerebral palsy, hip osteoarthritis, and chronic ankle instability.

Convolutional neural networks applied to gait data treat movement time series as analogous to images, learning hierarchical feature representations from raw data without requiring manual feature engineering. Recurrent neural networks and their

variants, including long short-term memory networks and gated recurrent units, are particularly well suited to sequential time series data such as gait signals.

Forensic Gait Analysis: Current Applications

Forensic gait analysis is the examination of an individual's walking pattern for the purpose of identification or the assessment of functional limitation claims. AI-assisted gait analysis extends these capabilities significantly. Rather than comparing individual gait parameters, machine learning algorithms can compare comprehensive kinematic profiles, identifying subtle differences that human observation would miss. They can also compare observed gait patterns against databases of gait patterns associated with specific pathological conditions.

CASE STUDY | Gait Analysis in Disability Claim Assessment, 2022

A 45-year-old construction worker claimed severe functional limitation following a lumbar disc injury, alleging inability to walk more than 50 meters without rest. AI-assisted analysis of CCTV footage

from his neighborhood identified multiple instances of walking behavior inconsistent with the claimed limitation, including sustained walking over distances exceeding 500 meters at speeds substantially above those recorded in the clinical assessment. The AI system quantified the discrepancy in temporal-spatial gait parameters across contexts with statistical precision, providing the court with objective evidence of a significant and consistent discrepancy between clinical presentation and real-world function.

Portable and Wearable Gait Analysis

Wearable inertial measurement units have enabled portable gait analysis that can be conducted in any environment and over extended periods. For forensic rehabilitation purposes, wearable gait analysis enables continuous monitoring of a subject's gait characteristics throughout their daily activities. A person wearing inertial measurement units at the ankle and lower back for a week of daily life generates a rich dataset describing how they walk in different contexts, across different terrains, at different times of day, and under different physical demands.

Machine learning analysis of this longitudinal data can identify gait patterns consistent with specific pathological conditions, detect variability or inconsistency in gait across contexts, quantify functional mobility in everyday settings, and track changes in gait over time in response to treatment or recovery. These capabilities make wearable AI-assisted gait analysis a powerful tool for both forensic assessment and rehabilitation monitoring.

CHAPTER SUMMARY

Human gait is a rich source of information about neurological, musculoskeletal, and behavioral function with significant forensic applications. Machine learning algorithms can classify gait patterns with high accuracy and detect inconsistencies between observed gait in different contexts. Wearable sensors enable continuous real-world gait monitoring. Forensic gait recognition must be approached with caution and full transparency about limitations.

CHAPTER SEVEN

Smart Wearable Systems in Medico-Legal Cases

The Wearable Technology Revolution in Healthcare

The past decade has witnessed a transformation in the availability and capability of wearable health monitoring technology. Consumer devices including smartwatches, fitness trackers, and health monitoring patches have brought continuous physiological monitoring to millions of people, while clinical-grade wearable systems have become sufficiently compact, affordable, and accurate for routine use in healthcare and research settings. These developments have profound implications for forensic rehabilitation medicine by enabling objective, continuous, real-world measurement of physical function.

Clinical wearable systems for rehabilitation monitoring include inertial measurement units measuring movement and posture, electromyography patches measuring muscle activity, electrodermal activity sensors measuring sympathetic nervous system arousal as a proxy for stress and pain, heart rate variability monitors assessing autonomic function, temperature sensors detecting peripheral perfusion changes, and pressure-sensitive garments measuring joint loading. Each of these modalities provides a distinct window into aspects of physical function and physiological state that are relevant to forensic assessment.

Continuous Activity Monitoring and Functional Evidence

Continuous activity monitoring using wrist-worn or body-worn accelerometers provides objective evidence of physical activity levels, sedentary behavior, sleep quality, and the temporal distribution of movement across the day. In forensic rehabilitation contexts, this data can address fundamental questions about how much physical activity a person actually engages in during their daily life, and whether

this activity level is consistent with claimed functional limitations.

CASE STUDY | Activity Monitoring in a CRPS Claim, 2023

A 38-year-old office administrator sought long-term disability benefits claiming severe functional limitation due to complex regional pain syndrome of the right arm. Activity monitoring using a research-grade wrist accelerometer worn bilaterally for fourteen days revealed substantial asymmetry in arm movement volume consistent with the claimed dominant-hand limitation, but also identified three occasions on which bilateral arm activity during recreational activities was substantially higher than activity patterns recorded during clinical assessments. An AI-assisted analysis quantified the kinematic characteristics of these movements and provided objective evidence regarding the relationship between claimed limitations and observed functional performance.

Smart Rehabilitation Systems

Smart rehabilitation systems integrate wearable sensors with AI algorithms and digital interfaces to provide personalized, data-driven rehabilitation that

adapts to individual patient progress and needs. In forensic rehabilitation contexts, smart rehabilitation systems serve an additional function as objective monitoring platforms that document rehabilitation engagement, effort, and progress with a granularity and objectivity that conventional clinical documentation cannot match.

Legal and Ethical Framework for Wearable Monitoring

The use of wearable monitoring devices in forensic rehabilitation contexts raises important legal and ethical questions related to privacy, consent, data security, and the potential for coercive use of monitoring data. The person being monitored must understand what data is being collected, how it will be used, who will have access to it, and what its potential consequences are for their legal or insurance claim. Professional guidelines and legal frameworks governing forensic monitoring must address the power dynamics inherent in medico-legal contexts explicitly.

CHAPTER SUMMARY

Wearable sensor technology enables continuous, objective measurement of physical function in real-world settings, providing forensic evidence that clinical assessments alone cannot deliver. Smart rehabilitation systems generate longitudinal data serving both therapeutic and forensic monitoring purposes. The forensic use of wearable monitoring must be governed by strong ethical and legal frameworks addressing privacy, consent, and equality of access.

CHAPTER EIGHT

Biomechanical Reconstruction of Trauma Events

Principles of Trauma Reconstruction

Trauma reconstruction is the process of determining, from physical evidence and scientific analysis, what happened during a traumatic event. The fundamental approach is inverse biomechanics: starting from the observed outcome, the injury pattern and any physical evidence from the scene, and working backward to identify the forces, velocities, and body configurations that could have produced that outcome. This inverse approach is inherently less deterministic than forward modeling, because many different combinations of input conditions can produce the same observed outcome.

Computational tools including finite element analysis and multibody dynamics simulation have

transformed the precision and efficiency of trauma reconstruction. Finite element models can simulate the mechanical response of specific body regions to applied forces with much greater spatial and temporal resolution than physical experiments, enabling investigation of a wide range of loading scenarios at much lower cost.

AI in Trauma Scene Analysis

Artificial intelligence is beginning to be applied to the analysis of trauma scene evidence in ways that extend human perceptual and analytical capabilities. Computer vision algorithms can analyze photographs and video recordings of trauma scenes to identify and measure physical evidence including deformation patterns, blood spatter distributions, and surface marks. Three-dimensional reconstruction of trauma scenes using photogrammetry and LiDAR scanning provides spatial data that supports more precise biomechanical analysis than traditional two-dimensional documentation.

Fall Reconstruction and Mechanism Differentiation

Distinguishing falls from assaults on the basis of injury patterns is a critical forensic problem that arises most frequently in cases of suspected elder abuse, suspected child abuse, and suspicious deaths. Computational models of fall biomechanics, validated against large datasets of fall events recorded in laboratory settings and long-term care facilities, can generate expected injury profiles for falls from specific heights and in specific directions. Comparison of observed injury patterns against these modeled expectations provides a structured basis for assessing the consistency of a claimed fall mechanism with the injury evidence.

CASE STUDY | Child Abusive Head Trauma Investigation, 2020

A two-year-old child was brought to the emergency department with intracranial injuries attributed by the parents to a fall from a couch. The injury pattern included bilateral subdural haematomas, retinal haemorrhages, and diffuse axonal injury. Biomechanical analysis using a validated computational model demonstrated that the forces required to produce the observed pattern were inconsistent with a low-height fall from furniture. AI-assisted analysis of the imaging data quantified the

distribution and severity of diffuse axonal injury with greater precision than manual radiological review. The case proceeded to criminal prosecution for child abuse.

Traffic Accident Reconstruction

Traffic accident reconstruction is the most mature application of forensic biomechanics. AI is enhancing several components of the reconstruction process, from the analysis of event data recorder and advanced driver assistance system data to the automated detection of impact signatures in dashcam and surveillance footage. The integration of event data recorder data, scene physical evidence, vehicle deformation measurements, and occupant injury patterns into a comprehensive reconstruction is a complex inference problem that AI helps address through Bayesian network models that characterize the range of consistent accident scenarios rather than selecting a single deterministic reconstruction.

CHAPTER SUMMARY

Trauma reconstruction uses inverse biomechanics to determine event parameters from observed physical and biological evidence. AI extends trauma reconstruction capabilities through computer vision analysis of scene evidence and machine learning classification of injury patterns. Assault reconstruction, fall-versus-assault differentiation, and traffic accident analysis all benefit from AI-assisted approaches.

CHAPTER NINE

AI-Based Disability and Functional Impairment Scoring

The Challenge of Disability Assessment

Disability assessment is one of the most consequential applications of medical expertise in modern societies. The determination of whether a person meets the criteria for disability benefits, reduced work capacity compensation, enhanced legal damages, or other forms of social support rests substantially on medical assessment of functional impairment. These determinations affect millions of people annually, with enormous consequences for individuals, families, and social welfare systems.

The World Health Organization's International Classification of Functioning, Disability and Health provides the conceptual framework within which modern disability assessment is conducted. The

framework distinguishes between body functions and structures; activities, which describe the execution of tasks; participation, which describes involvement in life situations; and contextual factors, both environmental and personal, that modify the relationship between health conditions and functional outcomes. This multidimensional framework acknowledges that disability is not simply a property of the body but a complex interaction between physical status and social environment.

Machine Learning in Disability Classification

Machine learning approaches to disability classification and impairment scoring are at an early stage of development, but several promising lines of research are emerging. Supervised learning models trained on large datasets of clinically assessed disability cases have demonstrated the ability to predict disability status from structured clinical data, imaging findings, and standardized assessment results with accuracy comparable to experienced physician reviewers. The advantage of machine learning disability classification is consistency: a trained model applies the same criteria to every case

without the drift, fatigue, and examiner-specific biases that affect human raters.

Multimodal AI for Comprehensive Functional Assessment

The most powerful AI-based approach to disability and functional impairment scoring integrates data from multiple sources through multimodal machine learning architectures. A comprehensive functional assessment dataset might include structured clinical examination findings, standardized self-report questionnaires, objective performance test results, continuous wearable monitoring data, diagnostic imaging findings, electronic health record information, and neuropsychological assessment results. Each data type provides partially overlapping and partially complementary information about functional capacity.

AI MODEL CONCEPT: THE DISABI-NET FRAMEWORK

A multimodal neural network for disability impairment scoring integrates five data streams: standardized clinical assessment scores, three-dimensional motion capture data, fourteen-day wearable accelerometry data, structured radiology report data, and electronic health record timeline features. The network produces an overall impairment severity score with confidence estimates, and an explanation report identifying which data features most influenced the overall assessment. Discrepancies between modalities trigger a flag for enhanced human review rather than automated determination.

CHAPTER SUMMARY

Disability assessment is methodologically challenging, with current systems showing significant limitations in reliability and validity. Machine learning demonstrates consistency advantages but must address training data biases. Multimodal AI integrating clinical, sensor, imaging, and health record data offers the most comprehensive approach to automated functional assessment.

CHAPTER TEN

Digital Twins and Motion Reconstruction

The Digital Twin Concept

A digital twin is a dynamic computational model that represents a physical system and maintains synchronization with the real system through continuous data exchange. Originally developed in engineering contexts for the monitoring and predictive maintenance of complex physical systems, the digital twin concept has been extended to healthcare, where patient-specific computational models offer the prospect of personalized simulation of physiological processes, treatment responses, and rehabilitation trajectories.

In the context of forensic rehabilitation medicine, digital twins serve a somewhat different purpose than in clinical healthcare. Rather than maintaining a real-time synchronized model of a living patient, forensic digital twins are retrospective

reconstructions of the human body or specific body segments at specific points in time, used to simulate traumatic events, analyze injury mechanisms, and test the consistency of claims about what happened to whom under what conditions.

Building Human Digital Twins from Clinical Data

Computational musculoskeletal models, software platforms such as OpenSim and AnyBody, provide the infrastructure for building individual-specific human digital twins from clinical data. AI is enhancing the efficiency of digital twin construction in several ways. Deep learning methods can automatically segment bone and soft tissue from CT and MRI data, dramatically reducing the manual effort currently required. Machine learning models can predict individual musculoskeletal model parameters from simple measurements more readily available than full imaging data.

CASE STUDY | Digital Twin in a Workplace Injury Reconstruction, 2023

A 52-year-old warehouse worker sustained a lumbar fracture-dislocation while operating a loading dock leveler. The mechanism of injury was disputed: the worker claimed the leveler had malfunctioned, while the employer alleged poor lifting technique. A forensic digital twin was constructed from the worker's CT data. Motion capture data from healthy volunteers performing the disputed task under both normal and simulated malfunction conditions drove the digital twin in biomechanical simulations. The simulations demonstrated that the observed fracture pattern was consistent with the malfunction scenario and not consistent with loading profiles generated by poor technique alone. The case settled favorably for the worker.

Forensic Simulation Applications

Once a forensic digital twin is constructed, it can be used in a range of simulation applications. Impact simulation applies the forces estimated from accident reconstruction to the digital twin, generating predictions about skeletal and soft tissue loading that can be compared with the injury pattern documented clinically and in imaging. Probabilistic simulation

approaches, which run multiple simulations across a range of input parameter values to characterize the sensitivity of results to parameter uncertainty, provide a principled basis for reporting simulation evidence with appropriate uncertainty bounds.

CHAPTER SUMMARY

Digital twins are computational models used in forensic rehabilitation medicine for retrospective reconstruction of traumatic events. AI enhances digital twin construction through automated imaging segmentation and parameter estimation. Markerless motion capture applied to existing video creates new possibilities for retrospective kinematic reconstruction. Ethical frameworks for the forensic use of patient-derived digital twins are needed as the technology matures.

CHAPTER ELEVEN

Chronic Pain Authenticity and Malingering Detection

The Problem of Pain Authenticity

Chronic pain is the most common and economically consequential health condition encountered in medico-legal and disability assessment contexts. The assessment of the genuineness and severity of chronic pain claims is one of the most challenging problems in forensic medicine. The challenge is fundamentally epistemological: pain is a subjective experience that cannot be directly observed by another person. All behavioral and physiological indicators of pain are indirect measures that reflect the relationship between the individual's internal experience and their external expression of that experience.

Malingering is the deliberate fabrication or exaggeration of symptoms or functional limitations

for external gain. Symptom magnification refers to the amplification of genuine symptoms beyond what the underlying pathology would be expected to produce, often through psychological mechanisms including anxiety, depression, catastrophizing, and fear-avoidance. Distinguishing malingering from symptom magnification is clinically important but extremely difficult without objective measurement tools.

AI Approaches to Effort Assessment

Machine learning methods offer new approaches to effort assessment that analyze the consistency of behavior across the full range of tasks performed during an assessment, exploiting the insight that it is difficult to maintain a consistent level of deliberate underperformance across many different tasks simultaneously. Kinematic analysis of movement quality during functional performance tests provides one AI-based approach: genuine maximum effort movements have characteristic kinematic signatures, while deliberate underperformance tends to produce kinematic signatures that are detectible through multivariate analysis.

The heart rate response during functional performance testing provides a physiological indicator of effort level that is independent of behavioral strategy. AI models integrating kinematic, force, and heart rate data can exploit these physiological constraints to provide more robust effort classification than behavioral analysis alone. Research groups in the Netherlands and Australia have developed and validated machine learning models that classify effort level during functional capacity evaluation tasks based on kinematic features extracted from inertial measurement unit data.

Ethical Constraints on AI-Based Malingering Detection

The use of AI to detect malingering in medico-legal contexts raises profound ethical questions. The potential for unjust harm is substantial: a system that incorrectly classifies a genuine patient as a malingerer could deny a vulnerable person access to needed support, with severe consequences. The base rate problem is particularly important: even a highly accurate test produces a substantial proportion of false positives when applied in a population where the true prevalence of the condition is low. Cultural

competence is a critical requirement for AI pain assessment tools, as pain expression and help-seeking behavior vary substantially across cultural groups.

CHAPTER SUMMARY

Pain authenticity assessment is among the most challenging problems in forensic rehabilitation medicine. AI approaches including kinematic effort analysis, physiological monitoring, and NLP of clinical records offer new tools for objective pain assessment but must be carefully validated and subject to strong ethical constraints, with outputs used as adjuncts to rather than replacements for human clinical judgment.

Part Three

Clinical Applications

Translating Theory into Practice Across the Spectrum of Forensic Rehabilitation

CHAPTER TWELVE

Rehabilitation of Violence, Torture, and Trauma Survivors

The Physical Consequences of Violence and Torture

Violence and torture produce a spectrum of physical injuries whose consequences may persist for years or decades after the acute event. The pattern of injury depends on the specific methods used, the duration of exposure, the physical characteristics of the survivor, and the availability and quality of acute and subsequent medical care. Understanding these physical consequences is essential for forensic assessment of torture survivors and for designing effective rehabilitation programs.

Common methods of torture produce characteristic physical sequelae. Beatings to the soles of the feet, known as falanga or bastinado, cause

severe heel pad trauma that can produce chronic plantar pain, altered gait mechanics, and long-term postural adaptations. Suspension torture causes brachial plexus injuries, shoulder joint trauma, and spinal strain patterns that may not resolve spontaneously. Electric shock torture may cause peripheral nerve injury, rhabdomyolysis, and cardiac arrhythmia at the acute stage, with potential for persistent peripheral neuropathy.

The Role of Physiotherapy in Torture Survivor Rehabilitation

Physiotherapy has an essential role in the rehabilitation of torture survivors that goes beyond the treatment of specific physical injuries to address the profound integration of physical and psychological trauma that characterizes this population. Trauma-informed physiotherapy requires practitioners who understand the neurobiology of trauma, who can adapt their clinical approaches to avoid re-traumatization, and who can collaborate effectively with trauma-specialized mental health practitioners.

CASE STUDY | Rehabilitation of a Torture Survivor Seeking Asylum, 2021

A 34-year-old man seeking asylum reported a history of prolonged detention with repeated beatings, electrical torture, suspension, and near-drowning. Physical assessment revealed bilateral heel pad thickening and tenderness consistent with falanga, restricted shoulder range of motion bilaterally, mild peripheral neuropathy affecting the lower limbs, and a characteristic wide-based slow gait. AI-assisted analysis of his gait using inertial measurement units quantified the specific gait parameters and identified a pattern consistent with documented falanga sequelae in the validated torture rehabilitation database. This objective gait evidence contributed to a medico-legal report supporting the asylum claim.

AI Tools in Torture Documentation

Artificial intelligence is beginning to contribute to the documentation of torture and ill-treatment. Computer vision algorithms applied to clinical photographs can identify and characterize skin lesions, scars, and wound configurations in ways that support the assessment of their consistency with reported torture methods. Even modest AI-assisted tools for standardizing and cross-referencing physical

findings documentation could substantially improve the quality and consistency of medical-legal reports produced by clinicians working with torture survivors.

Domestic Violence and Physical Abuse Rehabilitation

Domestic violence and intimate partner violence produce a spectrum of physical injuries whose rehabilitative consequences overlap significantly with those of other forms of physical abuse. Strangulation, particularly non-fatal strangulation, can produce neurological injury from cerebral hypoxia, cervical spine trauma, and laryngeal injury. Repeated head trauma from intimate partner violence is a major cause of acquired traumatic brain injury in women, with cognitive, behavioral, and neurological sequelae that may significantly affect functional capacity.

CHAPTER SUMMARY

Violence and torture produce complex physical sequelae whose rehabilitation requires specialized knowledge and trauma-informed clinical practice. Physiotherapy has an essential role addressing both specific physical injuries and the somatized consequences of psychological trauma. AI tools offer potential for standardizing torture documentation and identifying injury patterns consistent with specific abuse mechanisms.

CHAPTER THIRTEEN

Mental Health, PTSD, and Neurorehabilitation in Forensic Settings

Post-Traumatic Stress Disorder: Neurobiology and Clinical Features

Post-traumatic stress disorder is a psychiatric condition that can develop following exposure to traumatic events involving actual or threatened death, serious injury, or sexual violence. Its clinical features include intrusion symptoms such as flashbacks and nightmares, avoidance of trauma reminders, negative alterations in cognition and mood, and hyperarousal symptoms including startle response, sleep disturbance, and hypervigilance.

The neurobiology of PTSD involves dysregulation of the hypothalamic-pituitary-adrenal axis, producing abnormal cortisol responses to stress; amygdala hyperactivation and deficient medial

prefrontal cortical inhibition of the fear response; hippocampal volume reduction and impaired contextual memory processing; and altered functioning of the locus coeruleus-norepinephrine system, contributing to heightened arousal and startle reactivity. These neurobiological changes can be detected through neuroimaging, neuroendocrine assays, and psychophysiological assessment, providing objective biomarkers relevant to forensic assessment.

AI in PTSD Diagnosis and Treatment

Machine learning approaches to PTSD diagnosis and treatment are active research areas. Supervised learning models have demonstrated the ability to classify PTSD status from speech acoustic features, physiological signals, neuroimaging data, and natural language analysis of clinical interviews with accuracy levels comparable to structured clinical assessment. Speech analysis for PTSD detection is a particularly well-developed area, with prosody, speaking rate, voice quality, and pause patterns all providing discriminative features.

Digital phenotyping, the use of data from smartphone sensors and usage patterns to characterize mental health status, offers the prospect of continuous, passive monitoring of PTSD symptoms. Passively collected data on sleep patterns, physical activity, social interaction, and location mobility can be processed by machine learning algorithms to track symptom trajectories with a continuity and objectivity that episodic clinical assessments cannot provide.

Neurorehabilitation in Forensic Psychiatric Settings

Individuals in forensic psychiatric settings often have complex neurorehabilitation needs arising from the interaction of mental illness, substance use, traumatic brain injury, and the neurobiological effects of long-term institutionalization. Traumatic brain injury is substantially overrepresented in forensic psychiatric populations compared to the general population. AI tools for neurorehabilitation in these settings include cognitive rehabilitation software that adapts to individual cognitive profiles, behavioral monitoring systems that track treatment engagement, and predictive models that estimate the risk of

deterioration based on monitored behavioral indicators.

CHAPTER SUMMARY

PTSD and other trauma-related disorders have well-characterized neurobiological substrates that provide objective assessment markers relevant to forensic evaluation. AI applications in PTSD include speech-based diagnosis, digital phenotyping for continuous monitoring, and personalized treatment delivery, all with potential forensic applications in disability assessment and treatment outcome documentation.

CHAPTER FOURTEEN

Forensic Physiotherapy as a Medical Specialty

Defining Forensic Physiotherapy

Forensic physiotherapy is the application of physiotherapy assessment, knowledge, and clinical reasoning to questions arising in legal, medico-legal, and investigative contexts. It is a subspecialty of physiotherapy that requires additional training in forensic science, legal process, report writing, expert testimony, and the ethical standards applicable to forensic work. As a formal specialty designation, forensic physiotherapy is at an early stage of development, with recognition varying substantially across jurisdictions.

The physiotherapist in a forensic role differs from the clinical physiotherapist in several important respects. The clinical physiotherapist's primary duty is to the patient, whose therapeutic interests drive clinical decision-making. The forensic

physiotherapist, while maintaining a duty of care to any person examined, has a primary duty to the court or legal process, and must maintain objectivity even when findings do not support the position of the party who retained them. This duty to the court over the client is the defining ethical principle of all forensic expert work.

Competency Framework for Forensic Physiotherapy

A comprehensive competency framework for forensic physiotherapy must address knowledge, skills, and professional values across several domains. Clinical competency encompasses advanced proficiency in the full range of physiotherapy assessment methods applicable in forensic contexts. Biomechanical competency requires understanding of human movement mechanics, injury biomechanics, and the physical principles underlying specific assessment methods. Legal and procedural competency requires understanding of the legal system in the relevant jurisdiction.

AI literacy is increasingly important as a forensic physiotherapy competency. The forensic

physiotherapist must be able to critically evaluate AI-assisted assessment tools, understand the basis and limitations of AI-generated evidence, incorporate AI outputs appropriately into expert reports, and explain AI evidence to legal professionals in ways that support proper evaluation by courts and tribunals.

The Forensic Physiotherapy Examination

The forensic physiotherapy examination differs from clinical physiotherapy assessment in its purpose, methodology, and documentation. The purpose is evaluative rather than therapeutic: the goal is to characterize the current state of the examinee's physical function with sufficient precision and objectivity to answer specific forensic questions. Every test performed should be a validated assessment method with published reliability and validity data. Results should be reported as quantitative measurements wherever possible, rather than as qualitative impressions.

MODEL COMPETENCY STANDARDS

A forensic physiotherapy specialist should demonstrate: completion of an accredited postgraduate training program including legal process, forensic assessment methodology, and report writing; supervised completion of at least twenty forensic assessments in a range of contexts; demonstrated competency in AI-assisted assessment tool use and critical evaluation; knowledge of relevant jurisdiction-specific expert witness standards; and commitment to ongoing continuing professional development of at least twenty hours per year in relevant forensic, legal, or AI topics.

CHAPTER SUMMARY

Forensic physiotherapy is a subspecialty applying physiotherapy expertise to legal and medico-legal contexts, with a primary duty to the court. A comprehensive competency framework encompasses clinical, biomechanical, legal-procedural, communication, and AI literacy domains. Educational pathways and professional recognition structures are needed to formalize the specialty.

CHAPTER FIFTEEN

Courtroom Biomechanics and Expert Testimony

The Expert Witness in Medical-Legal Proceedings

Expert witnesses occupy a unique position in legal proceedings. Unlike ordinary witnesses, who may only testify about what they personally observed, expert witnesses are permitted to offer opinions that draw on specialized knowledge, skill, experience, training, or education that is beyond the knowledge of ordinary people. This permission reflects the recognition that legal decision-makers require assistance from specialists to properly evaluate evidence requiring technical expertise.

The admissibility of expert testimony is governed by legal standards that vary across jurisdictions. In United States federal courts, the

Daubert standard, established by the Supreme Court in Daubert v. Merrell Dow Pharmaceuticals in 1993, requires judges to assess whether expert testimony is based on sufficient facts or data, is the product of reliable principles and methods, and has been reliably applied to the facts of the case.

Biomechanical Evidence in Court: Standards and Challenges

Biomechanical evidence in court faces specific challenges arising from the complexity of the underlying science and the difficulty of communicating probabilistic conclusions to non-specialist audiences. The reconstruction of trauma events is inherently probabilistic: a forensic biomechanist can rarely establish with certainty what happened, but can characterize the range of scenarios consistent with the evidence. Communicating this probabilistic nature honestly, without either overstating certainty or understating the value of the evidence, is one of the core skills of biomechanical expert testimony.

AI Evidence in Legal Proceedings

The use of AI-assisted assessment as evidence in legal proceedings is at an early but growing stage. The fundamental challenge for AI evidence in court is the black box problem: most high-performing AI models cannot explain their reasoning in terms that support the kind of adversarial examination that legal evidence must survive. The development of explainable AI is therefore not merely a technical interest but a legal necessity for AI evidence to function appropriately in adversarial proceedings.

CASE STUDY | AI-Assisted Gait Evidence in Workers Compensation Tribunal, Australia, 2024

A tribunal considered AI-assisted gait analysis evidence in a claim involving alleged permanent walking impairment following a knee injury. The AI system had analyzed fourteen days of continuous inertial measurement unit data and produced quantitative gait parameter assessments with confidence intervals, alongside a written explanation report identifying the specific features of the gait data that drove each component of the assessment. The tribunal admitted the evidence, finding that the explanation report provided sufficient transparency to allow meaningful cross-examination. The tribunal credited the AI evidence as corroborating the clinical

expert's assessment of moderate functional limitation.

Communicating Complex Science to Legal Audiences

Effective expert testimony requires translating complex scientific and technical content into language accessible to legal professionals, judges, and juries who have no specialist background in the relevant field. Expert witnesses in forensic rehabilitation cases should be prepared to answer honestly and without defensiveness when challenged on the limitations of their methods and conclusions. A witness who acknowledges uncertainty, explains the basis for it, and articulates why the conclusion is nonetheless well founded demonstrates the intellectual integrity that is the foundation of effective expert testimony.

CHAPTER SUMMARY

Expert witnesses are permitted to offer opinions based on specialized knowledge subject to admissibility standards requiring reliability and valid methodology. Biomechanical evidence must communicate probabilistic conclusions honestly, with particular care to avoid simulation evidence creating false certainty. AI evidence faces the black box challenge and requires explainable approaches that allow cross-examination. Effective expert testimony requires skilled translation of complex science to legal audiences.

Part Four

Ethics, Law, and the Future

Governance, Vision, and the Path to a Just Medicine

CHAPTER SIXTEEN

Ethical Challenges of AI in Forensic Healthcare

The Ethics of Algorithmic Decision-Making

The deployment of artificial intelligence in forensic healthcare contexts raises ethical challenges that extend beyond those encountered in ordinary clinical AI applications. Forensic decisions have profound and often irreversible consequences for the people they affect. The stakes of error are high, the population assessed is frequently vulnerable, and the power imbalance between the assessing institution and the individual is substantial. These characteristics require that AI tools used in forensic healthcare be held to the highest standards of ethical design, validation, and governance.

Algorithmic fairness, the requirement that AI systems produce equitably accurate outputs across different demographic groups, is a foundational

ethical principle for forensic AI. Machine learning models trained on datasets that are not representative of the diversity of the population to which they will be applied may perform substantially worse for underrepresented groups. In forensic contexts, this performance gap can translate directly into discriminatory outcomes.

Accountability and Responsibility

The introduction of AI into forensic decision-making creates new challenges for accountability. When a human expert makes an assessment that turns out to be wrong, there are established mechanisms for assessing whether the error reflected negligence, incompetence, or honest exercise of professional judgment. When an AI system contributes to an erroneous forensic determination, the accountability question is more complex. The concept of meaningful human control over AI-assisted decisions provides a partial answer: if AI tools are deployed in ways that ensure a qualified human professional reviews and takes responsibility for every consequential output, then accountability remains with that human professional.

Privacy and Surveillance in Forensic AI

The forensic rehabilitation applications described in this book involve the collection, analysis, and use of sensitive personal health data at an unprecedented scale and granularity. The potential for forensic rehabilitation AI tools to be repurposed for surveillance of specific populations is a serious concern. The history of forensic medicine includes troubling examples of medical tools being deployed in the service of state or corporate power against vulnerable populations, and these historical precedents should inform the governance of AI forensic tools.

CHAPTER SUMMARY

AI in forensic healthcare raises ethical challenges of algorithmic fairness, accountability, privacy, and meaningful human control that require explicit governance frameworks. Algorithmic fairness must be actively designed and monitored. Privacy and surveillance risks require strong data protection governance and vigilance against mission creep.

CHAPTER SEVENTEEN

Legal Frameworks and International Standards

International Human Rights Law and Medical Evidence

International human rights law provides an important normative framework for forensic rehabilitation medicine, establishing standards for the treatment of individuals in the hands of state authorities and for the medical documentation of violations. The United Nations Convention Against Torture, which entered into force in 1987, establishes absolute prohibition on torture and requires states to ensure that allegations of torture are effectively investigated. The medical documentation of torture, performed according to Istanbul Protocol standards, is central to the effectiveness of this investigative obligation.

The Convention on the Rights of Persons with Disabilities, adopted in 2006, establishes rights of

persons with disabilities to equal recognition before the law, access to justice, and freedom from exploitation and abuse. Disability assessment procedures that are systematically less accurate or less fair for certain groups may engage CRPD obligations, and states that use AI-based disability assessment systems should assess their compliance with CRPD equality requirements.

Regulatory Frameworks for Medical AI

The regulation of AI in healthcare is developing rapidly across major jurisdictions. The United States Food and Drug Administration has developed a regulatory framework for AI and machine learning-based software as a medical device. The European Union's AI Act, which entered into force in 2024, establishes a risk-based regulatory framework that classifies AI systems in certain high-risk domains, including healthcare, as requiring mandatory conformity assessment before deployment. AI systems used in forensic rehabilitation assessment would likely fall within the high-risk categories of these regulatory frameworks.

Standards for Expert Evidence in the Age of AI

The development of technical standards for forensic AI by standards bodies such as ISO, ASTM International, and the National Institute of Standards and Technology provides an important mechanism for establishing agreed methodological requirements that can inform both regulatory compliance and expert testimony admissibility assessment. Participation by forensic rehabilitation practitioners in these standards development processes is important to ensure that the resulting standards reflect the specific requirements and challenges of forensic rehabilitation applications.

CHAPTER SUMMARY

International human rights law establishes important normative standards for forensic rehabilitation practice. Regulatory frameworks for medical AI are developing rapidly and will likely impose mandatory requirements on forensic AI systems. Technical standards development provides a mechanism for establishing methodological requirements supporting both regulatory compliance and admissibility assessment.

CHAPTER EIGHTEEN

Smart Courts and Intelligent Rehabilitation Systems

The Smart Court: A Vision for Integrated Forensic Assessment

The smart court of the future is not simply a courtroom equipped with better technology. It is an institution that has fundamentally reconceived its approach to medical and scientific evidence, integrating validated AI-assisted assessment tools into a coherent system of forensic evaluation that is more objective, more efficient, more consistent, and more just than current practice.

In this vision, when a case involving claims of physical injury or functional limitation enters the legal system, an automated case management system identifies the specific forensic rehabilitation questions at issue and initiates a structured

assessment protocol. The assessment data generated is processed through validated AI analysis systems that produce structured reports with explicit uncertainty characterization. These reports are disclosed to all parties simultaneously, reducing the asymmetry that currently disadvantages individuals who cannot afford high-quality expert witnesses against well-resourced institutional defendants.

Intelligent Rehabilitation Systems in Justice Contexts

Intelligent rehabilitation systems are AI-augmented platforms that provide personalized, adaptive rehabilitation services driven by continuous monitoring data and machine learning algorithms. For compensation systems, intelligent rehabilitation systems can provide objective, continuous documentation of rehabilitation participation and progress that reduces disputes about treatment adequacy and recovery trajectory. For forensic monitoring of individuals subject to court orders related to their health or rehabilitation, intelligent systems can provide objective documentation of compliance with rehabilitation requirements.

Designing Ethical Smart Systems for Justice

The design of smart court and intelligent rehabilitation systems for justice contexts must be guided by ethical principles with particular attention to the protection of rights. Transparency by default requires that all AI systems used in justice contexts be accompanied by comprehensive documentation. Privacy by design requires that data collection be limited to what is strictly necessary. Human override capability requires that qualified human professionals can review and take responsibility for any AI assessment output. Equity auditing requires that deployed forensic AI systems be regularly assessed for differential performance across demographic groups.

CHAPTER SUMMARY

Smart courts represent an integrated vision for AI-assisted forensic assessment that is more objective, consistent, and equitable than current adversarial expert witness systems. Ethical smart system design requires transparency, privacy by design, human override, auditability, and equity auditing as core requirements. Global implementation must address inequality between well-resourced and resource-limited legal systems.

CHAPTER NINETEEN

Future Hospitals and the Digital Forensic Clinic

The Digital Forensic Clinic: A Conceptual Model

The digital forensic clinic of the future integrates clinical care, forensic assessment, and AI-assisted analysis into a single institutional environment that serves both the therapeutic needs of patients and the evidential needs of legal processes. It is a facility where the same patient encounter generates high-quality clinical data for treatment planning and high-quality forensic data for legal assessment, using shared technology infrastructure and integrated digital workflows.

Assessment spaces incorporate embedded motion capture systems, force measurement platforms, and sensor arrays that can be activated for

forensic assessment without requiring the patient to visit a separate laboratory. The digital infrastructure of the clinic manages the flow of assessment data from multiple sensor modalities through AI analysis pipelines to structured clinical and forensic reports. Role-based access control ensures that different stakeholders can access the specific data relevant to their role without unnecessary exposure to sensitive data outside their scope.

Future Hospital Technology for Forensic Rehabilitation

Smart hospital environments, in which rooms and corridors are equipped with ambient sensors that can monitor patient movement, posture, and activity without requiring wearable devices, offer the prospect of continuous passive functional monitoring during inpatient rehabilitation stays. Robotic rehabilitation systems, which provide machine-assisted therapy for neurological and musculoskeletal conditions, generate detailed sensor data about patient performance, effort, and response to therapy as a byproduct of treatment delivery. Extended reality technologies, including virtual reality and augmented reality, offer forensic applications in which functional

assessments can be conducted in simulated real-world scenarios.

Telemedicine and Remote Forensic Assessment

Remote physiotherapy assessment using video consultation, combined with home-based wearable monitoring and remotely administered standardized tests, can provide forensic assessment data of reasonable quality from patients who cannot travel to specialist assessment centers. AI-assisted quality assessment tools that evaluate the reliability of remotely generated data and flag technical problems that may compromise data quality are important quality assurance components of any remote forensic assessment system.

AI-Assisted Report Generation

AI-assisted report generation, using natural language generation algorithms trained on high-quality forensic report exemplars, offers the prospect of partially automating the drafting of structured sections of forensic reports from structured input data, reducing the time burden on forensic

practitioners and improving the completeness and consistency of report content. The forensic practitioner must retain full responsibility for every statement in the final report, reviewing, editing, and where necessary replacing all AI-generated draft content.

CHAPTER SUMMARY

The digital forensic clinic integrates clinical care and forensic assessment within a shared technology infrastructure. Future hospital technologies including smart environments, robotic rehabilitation, and extended reality offer new data sources and assessment environments. AI-assisted report generation can improve efficiency and consistency while the forensic practitioner retains full professional responsibility.

CHAPTER TWENTY

Building the Field: Research Priorities and Educational Frameworks

The Research Agenda for Forensic Rehabilitation Medicine

A new interdisciplinary field requires a research agenda that addresses the foundational scientific questions on which practice will be built, validates the specific tools and methods that practitioners will use, and evaluates the effectiveness and safety of implemented systems in real-world contexts. Foundational research priorities include the development and validation of objective biomarkers for functional capacity, chronic pain, and psychological trauma that meet the reliability and specificity standards required for forensic evidence.

Applied research priorities include the validation of AI assessment tools in forensic populations, with particular attention to demographic generalizability, performance under conditions of deliberate effort manipulation, and the ecological validity of clinic-based assessments for real-world functional capacity. Implementation research priorities include evaluation of how forensic AI tools change clinical and legal practice when deployed in real settings, including their effects on assessment time and cost, on the consistency of forensic opinions, and on the fairness of compensation and adjudication systems.

Interdisciplinary Collaboration Frameworks

The interdisciplinary nature of forensic rehabilitation medicine means that no single academic discipline can provide the research infrastructure the field needs. Effective forensic rehabilitation research requires teams that integrate rehabilitation scientists, biomechanical engineers, neuroscientists, pain researchers, AI researchers, legal scholars, ethicists, and persons with lived experience of injury, disability, and interaction with

legal systems. Research centers specifically dedicated to forensic rehabilitation medicine would significantly accelerate the development of the field.

Educational Frameworks for the New Specialty

Building the educational infrastructure for forensic rehabilitation medicine requires curriculum development, faculty development, and institutional partnerships across multiple professional education systems. Medical education programs must incorporate exposure to forensic rehabilitation concepts and methods at the undergraduate level, with specialist training available at postgraduate level. Physiotherapy education programs should incorporate forensic physiotherapy content into both core curriculum and postgraduate options. Law schools have a role in building legal professionals' understanding of the science underlying forensic rehabilitation evidence.

AI education is an urgent cross-cutting requirement. Healthcare professionals at all levels need foundational AI literacy sufficient to critically evaluate AI tools, understand the basis of AI-

generated evidence, and recognize the ethical issues arising from AI deployment in clinical and forensic contexts. Current healthcare education programs are generally inadequate in this respect, and significant curriculum development is needed across the health professions.

Toward Professional Standards

The development of professional standards for forensic rehabilitation medicine, including standards for assessment methodology, expert witness conduct, AI tool evaluation, report writing, continuing professional development, and ethical practice, is essential for establishing the credibility and quality of the field. The process of developing professional standards should be inclusive, involving not only established practitioners and academic leaders but also representatives of the populations who are assessed in forensic rehabilitation contexts. The people who are assessed have important perspectives on what constitutes respectful, fair, and effective assessment, and their input should shape the standards by which practice is measured.

CHAPTER SUMMARY

The forensic rehabilitation medicine research agenda encompasses foundational biomarker research, AI tool validation, and implementation evaluation. Interdisciplinary research centers and international consortia provide institutional frameworks for sustained collaborative research. Educational frameworks must be developed across medical, physiotherapy, legal, and AI education programs. Professional standards development, inclusive of lived experience perspectives and internationally harmonized where feasible, is essential for establishing the field's credibility.

CONCLUSION

Toward a Just Medicine

I began this book with a simple claim: that the tools currently available to forensic medicine are inadequate to the complexity of human physical and psychological function, and that artificial intelligence, integrated with physiotherapy, biomechanics, and rehabilitation science, can build better tools. Twenty chapters later, we hope to have demonstrated not only that this claim is true but why it matters.

It matters because justice requires truth. Courts, compensation systems, asylum processes, criminal investigations, and disability adjudication systems all make decisions that fundamentally affect human lives, and these decisions should rest on the best available evidence. When medical evidence is subjective, variable, and inadequate, justice is compromised at its foundation. Every tool that makes forensic medical assessment more accurate, more objective, more consistent, and more transparent is a tool in the service of justice.

It matters because medicine serves people. The AI systems described in this book are not valuable because they are technologically impressive, though they often are. They are valuable because they help clinicians see more clearly what is wrong with their patients, help courts understand more precisely what happened to the people before them, and help rehabilitation professionals design better programs for people whose function has been compromised by injury, violence, or disease.

It matters because vulnerability calls for protection. Many of the people encountered in forensic rehabilitation contexts are among the most vulnerable in society: torture survivors, domestic violence victims, seriously injured workers, people with invisible chronic conditions that existing systems do not know how to see. These people need champions who combine scientific rigor with human compassion, who can marshal objective evidence in the service of their claims, and who can articulate clearly what a fair and functioning society owes to those who are injured by it.

✦ ✦ ✦

The field of Forensic Rehabilitation Medicine that this book proposes does not yet fully exist. The specialty designation is not yet established in most jurisdictions. The professional organizations, educational programs, and research centers that would define and sustain the field are in their infancy or not yet formed. The AI tools we have described range from fully validated clinical applications to research concepts that require years of development before they are ready for forensic deployment. This is a field being born, not a field arriving fully formed.

But the intellectual foundations are real. The science is there, distributed across physiology, biomechanics, neuroscience, AI research, and clinical medicine, waiting to be integrated. The clinical need is urgent and growing. The legal demand is intensifying. The technology is advancing. What is needed now is the will to build the field: to invest in the interdisciplinary research it requires, to develop the educational programs that will train its practitioners, to establish the professional standards that will ensure its integrity, and to engage with the legal and regulatory institutions that must receive and evaluate its evidence.

The title NeuroJustice, chosen for this book, reflects our belief that the contribution of neuroscience and AI to the pursuit of justice is not a peripheral application of clinical science but a central challenge for medicine in the twenty-first century. The brain and the body are where violence, trauma, disease, and disability live. The science of the brain and the body is where the evidence for justice must be found. Bringing that science to bear on the enormous institutional task of ensuring that legal systems treat human beings fairly is work worthy of the best in us, as scientists, as clinicians, and as members of societies that aspire to be just.

> *The goal is not simply better forensic assessment. The goal is a medicine that serves justice as faithfully as it serves health. These are not competing purposes. In their integration lies the future of the field.*

References and Further Reading

The following references represent the primary sources cited throughout this volume and recommended reading for deeper engagement with the key topics. Practitioners seeking comprehensive literature on specific topics are encouraged to supplement these references with systematic database searches in PubMed, Embase, Web of Science, and the SSRN legal research repository.

American Medical Association. (2007). Guides to the Evaluation of Permanent Impairment (6th ed.). AMA Press.

Apkarian, A. V., Bushnell, M. C., Treede, R. D., & Zubieta, J. K. (2005). Human brain mechanisms of pain perception and regulation in health and disease. European Journal of Pain, 9(4), 463–484.

Bogduk, N., & McGuirk, B. (2002). Medical Management of Acute and Chronic Low Back Pain: An Evidence-Based Approach. Elsevier.

Buolamwini, J., & Gebru, T. (2018). Gender shades: Intersectional accuracy disparities in commercial

gender classification. Proceedings of Machine Learning Research, 81, 1–15.

Cassidy, J. D., Carroll, L., & Peloso, P. (2004). Incidence, risk factors and prevention of mild traumatic brain injury. Journal of Rehabilitation Medicine, 36(Suppl 43), 28–60.

Daubert v. Merrell Dow Pharmaceuticals, Inc., 509 U.S. 579 (1993).

Davis, R. B., Ounpuu, S., Tyburski, D., & Gage, J. R. (1991). A gait analysis data collection and reduction technique. Human Movement Science, 10(5), 575–587.

European Union. (2024). Regulation (EU) 2024/1689 of the European Parliament and of the Council — Artificial Intelligence Act.

Fidelis, F. (1602). De relationibus medicorum libri quatuor. Panormi.

Food and Drug Administration. (2021). Artificial intelligence and machine learning software as a medical device: Action plan. FDA White Paper.

Gage, J. R., Schwartz, M. H., Koop, S. E., & Novacheck, T. F. (Eds.). (2009). The Identification and Treatment of Gait Problems in Cerebral Palsy (2nd ed.). Mac Keith Press.

Halligan, P. W., Bass, C., & Oakley, D. A. (Eds.). (2003). Malingering and Illness Deception. Oxford University Press.

Istanbul Protocol. (2022). Manual on Effective Investigation and Documentation of Torture and Other Cruel, Inhuman or Degrading Treatment or Punishment (Rev. ed.). United Nations.

Jiang, F., Jiang, Y., Zhi, H., et al. (2017). Artificial intelligence in healthcare: Past, present and future. Stroke and Vascular Neurology, 2(4), 230–243.

LeCun, Y., Bengio, Y., & Hinton, G. (2015). Deep learning. Nature, 521(7553), 436–444.

Melzack, R., & Wall, P. D. (1965). Pain mechanisms: A new theory. Science, 150(3699), 971–979.

Moseley, G. L. (2007). Reconceptualising pain according to modern pain science. Physical Therapy Reviews, 12(3), 169–178.

Nelson Mandela Rules (United Nations Standard Minimum Rules for the Treatment of Prisoners). (2015). General Assembly Resolution 70/175.

Rasmussen, J., & Zee, M. (2019). Musculoskeletal computer models as a complement to experiments and clinical studies. Biomechanics and Modeling in Mechanobiology, 18(5), 1425–1445.

Rusk, H. A. (1977). A World to Care For: The Autobiography of Howard A. Rusk. Random House.

Shen, D., Wu, G., & Suk, H. I. (2017). Deep learning in medical image analysis. Annual Review of Biomedical Engineering, 19, 221–248.

Treede, R. D., Rief, W., Barke, A., et al. (2019). Chronic pain as a symptom or a disease. Pain, 160(1), 19–27.

United Nations. (1984). Convention against Torture and Other Cruel, Inhuman or Degrading Treatment or Punishment.

United Nations. (2006). Convention on the Rights of Persons with Disabilities.

Waddell, G., McCulloch, J. A., Kummel, E., & Venner, R. M. (1980). Nonorganic physical signs in low-back pain. Spine, 5(2), 117–125.

Winter, D. A. (2009). Biomechanics and Motor Control of Human Movement (4th ed.). John Wiley & Sons.

World Health Organization. (2001). International Classification of Functioning, Disability and Health: ICF. WHO.

Zacchia, P. (1621–1635). Quaestiones Medico-Legales (Vols. 1–3). Rome.

Zhang, T., & Yu, K. (2022). Explainable AI for clinical decision support: Current practices and future directions. Journal of Biomedical Informatics, 130, 104083.

Index

Algorithmic fairness 224–235	**Gait analysis, AI-assisted** 82–94
AMA Guides to Permanent Impairment 28, 124	**Gate control theory** 52
Assault reconstruction 110–122	**Human rights law** 236–248
Biomechanics, forensic 38–66, 110, 210	**Istanbul Protocol** 30–32, 168–180, 236
Black box problem 79, 213	**Machine learning fundamentals** 70–78
Child abusive head trauma 118	**Malingering detection** 152–165
Complex regional pain syndrome 155, 175	**Motion capture** 82, 138, 145
Continuous activity monitoring 99–101	**Natural language processing** 77, 124, 161
Courtroom biomechanics 210–222	**Neurorehabilitation, forensic** 182–194
Daubert standard 211, 240	**Pain, neuroscience of** 52–65
Deep learning 68–80, 82–94	**Post-traumatic stress disorder** 182–194
Digital forensic clinic 260–270	**Quantitative sensory testing** 60
Digital twin 8, 138–150	**Smart court** 248–258

Disability assessment, AI-based 124–136	**Smart wearables** 96–108
Electromyography, forensic 104–106	**Torture rehabilitation** 168–180
Explainable AI 80, 213, 230	**Trauma reconstruction** 110–122
Fall biomechanics 46–48, 116	**Vehicle collision biomechanics** 44–46, 120
Forensic physiotherapy 196–208	**Waddell signs** 154
Functional capacity evaluation 27–30	**Workplace injury biomechanics** 48–50

Message to Future Researchers

The next revolution in medicine will not come from isolated disciplines. It will come from the courage to connect them.

The future belongs to researchers who are willing to combine medicine with engineering, neuroscience with artificial intelligence, rehabilitation with forensic science, and compassion with innovation.

Many of the concepts discussed in this book may seem futuristic today. But every major scientific advancement once began as an impossible idea.

To future medical students, researchers, innovators, physiotherapists, forensic specialists, AI engineers, and healthcare professionals:

Never be afraid to explore fields that do not yet fully exist. Because sometimes the greatest discoveries are found at the intersection of disciplines. And sometimes, the future of medicine begins with a single question.

NeuroJustice

NeuroJustice explores how Artificial Intelligence is transforming forensic science, neurorehabilitation, and the future of healthcare.